

CONDITION ITEMS

Report Date: 08-Jan-2014

1/5

1. NOMENCLATURE HELICOPTER, CARGO	2. NSN 1520010883669	3. PART NUMBER OR MODEL	4. SERIAL NUMBER 8900138	5. WUC 00				
6. NOMENCLATURE AND WUC a	PN AND NSN b	COMPONENT SER NO. LOCATION c	NO. PREV O/H d	NOMEN INST HRS e	TIME SINCE O/H g.	COMP INST HRS h	O/H OR REPLACE LIFE j	REP. DUE (ACFT HRS) k
				RMVL HRS NOMEN f		COMP RMVL HRS i		
VIBRATION ABSORBER	234N0003-1	1410131	CC	7849	CC	0	COND	COND
02A16	1560011171084	NOSE						
VIBRATION ABSORBER, PIL	234N0003-1	1410134	CC	7849	CC	0	COND	COND
02A17	1560011171084	PILOT						
VIBRATION ABSORBER, CO-	234N0003-1	BF319	CC	6486	CC	2871	COND	COND
02A18	1560011171084	CO-PILOT						
ELECTRONIC CONTROL UNI	2-170-700-02	10ANV1454	CC	8117	CC	265	COND	COND
04A06A	2995015922719	1						
ELECTRONIC CONTROL UNI	2-170-700-02	11ANV1716	CC	8003	CC	189	COND	COND
04A06A	2995015922719	2						
N1 QUADRANT CONTROL	145ES010-5	8606105	CC	4354	CC	300	COND	COND
04A07E	1680012369662	OVHD PNL						
BLADE ASSY ROT WING FW	114R1702-37	2007A3640	CC	8003	CC	1071	COND	COND
05A02	1615011457109	FWD GRN						
BLADE ASSY ROT WING FW	114R1702-37	A-1-175E	CC	8003	CC	2649	COND	COND
05A02	1615011457109	FWD RED						
BLADE ASSY ROT WING FW	114R1702-37	A-1-2384	CC	8003	CC	3049	COND	COND
05A02	1615011457109	FWD YEL						
DRIVE ARM ASSEMBLY FWD	114R3434-9	FM0016	CC	6486	CC	1787	COND	COND
05A03B	1560013267231	FWD						
BLADE ASSY ROT WING AF	114R1702-38	2006A4132	CC	8003	CC	1037	COND	COND
05B02	1615011457110	AFT RED						
BLADE ASSY ROT WING AF	114R1702-38	2006A7413	CC	8003	CC	1124	COND	COND
05B02	1615011457110	AFT GRN						
BLADE ASSY ROT WING AF	114R1702-38	A2-3200	CC	8003	CC	1766	COND	COND
05B02	1615011457110	AFT YEL						
DRIVE ARM ASSEMBLY AFT	114R3434-9	NP-0117	CC	7662	CC	995	COND	COND
05B03E	1560013267231	AFT						
XMSN ASSY, WING DRIVE F	145D1300-9	2009A8852	CC	7472	CC	0	COND	COND
06B	1615013176446							
XMSN ASSEMBLY AFT	145D2300-7	2007A8388	CC	7057	CC	0	COND	COND
06C	1615013154071							
TRANSMISSION COMBINING	145D5300-20	A8-136	CC	7057	CC	1852	COND	COND
06D	1615014643974							
XMSN ASSY, ENGINE MECH	145D6300-13	A11-745	CC	5895	CC	1291	COND	COND
06E	1615013956840	#1						
XMSN ASSY ENGINE MECH	145D6300-14	2008A9841	CC	7432	CC	0	COND	COND
06E	1615014647113	#2						

CONDITION ITEMS

Report Date: 08-Jan-2014

2/5

1. NOMENCLATURE HELICOPTER, CARGO	2. NSN 1520010883669	3. PART NUMBER OR MODEL	4. SERIAL NUMBER 8900138	5. WUC 00				
6. NOMENCLATURE AND WUC a	PN AND NSN b	COMPONENT SER NO. LOCATION c	NO. PREV O/H d	NOMEN INST HRS _e	TIME SINCE O/H g.	COMP INST HRS _h	O/H OR REPLACE LIFE j	REP. DUE (ACFT HRS) k
				RMVL HRS NOMEN f		COMP RMVL HRS i		
FWD XMSN ADAPTER ASSY	145D3407-6	A36513	CC	8003	CC	2930	COND	COND
06H06B	1615011130249	FWD						
COMBINING XMSM FWD AD	145D3407-7	2005A4457	CC	7849	CC	0	COND	COND
06H12B	1615011406703	F						
COMBINING XMSN AFT ADA	145D3407-8	A38326	CC	8003	CC	872	COND	COND
06H13B	1615011193360	C-BOX AFT						
AFT XMSN ADAPTER ASSY	145D3407-9	2007A11942	CC	7258	CC	0	COND	COND
06H14B	1615011140845	AFT XMSN						
CYLINDER ACT SWIVEL FW	145H6700-19	UR1882A	CC	8003	CC	0	COND	COND
07A37	1650013020076							
CYLINDER ASSY PIVOT FWD	145H6600-19	UR1177BAN	CC	8003	CC	3140	COND	COND
07A38	1650013049016							
CYLINDER ACT SWIVEL AFT	145H6700-18	UR1735SA	CC	8003	CC	0	COND	COND
07A39	1650013037898	AFT SWIVEL						
CYLINDER ASSY PIVOT AFT	145H6600-20	UR1846AS	CC	8003	CC	0	COND	COND
07A40	1650013037897	AFT PIVOT						
HYDRAULIC SYSTEM, PRIM	PRIMARY #2	8900138	CC	0	CC	0	COND	COND
07BP	---	SECONDARY						
HYDRAULIC SYSTEM, PRIM	PRIMARY	8900138	CC	0	CC	0	COND	COND
07BP	---	PRIMARY						
HYDRAULIC SYSTEM, UTILIT	UTILITY	8900138	CC	0	CC	0	COND	COND
07BU	---	UTILITY						
ACTUATOR ASSY, DASH	145CS100-5	332	CC	7833	CC	2424	COND	COND
11D03	1680011185607							
ENGINE SEQUENCING UNIT	163290-100	0620	CC	6881	CC	0	COND	COND
15A04	2995011695291							
AMPLIFIER, RADIO FREQUE	AM-7531/URC	1651AA	CC	6942	CC	0	COND	COND
19D01A	5996014158673							
RECEIVER-TRANSMITTER,R	HG7209AD01	177KK	CC	8120	CC	0	COND	COND
19E05A	5841014214162							
INDICATOR, HEIGHT	A3060591	1709FF	CC	8120	CC	0	COND	COND
19E05C	5841012459093							
COMPARATOR/PROCESSOR	A3214085	405GG	CC	7858	CC	0	COND	COND
76A03	5895013957447							

CONDITION ITEMS

Report Date: 08-Jan-2014

4/5

1. NOMENCLATURE HELICOPTER, CARGO	2. NSN 1520010883669	3. PART NUMBER OR MODEL	4. SERIAL NUMBER 8900138	5. WUC 00				
6. NOMENCLATURE AND WUC a	PN AND NSN b	COMPONENT SER NO. LOCATION c	NO. PREV O/H d	NOMEN INST HRS e RMVL HRS NOMEN f	TIME SINCE O/H g.	COMP INST HRS h COMP RMVL HRS i	O/H OR REPLACE LIFE j	REP. DUE (ACFT HRS) k

19-Jun-2006	14	WUC: 05B02 PN: 114R1702-38 PSN: A2-3200 BLADE ASSY ROT WING AFT 19JUN06-REMOVED BLADE ASSY S/N: A2-3200 FROM ACFT 8601668 AT 8428 ACFT HRS DUE TO BLADE DAMAGED, TTSN: 412 (D.DEAN, 3948 R/SPEC) USAAWC, FT. RUCKER, AL.						
11-Oct-2002	22	WUC: 06H14B PN: 145D3407-9 PSN: A-1125 AFT XMSN ADAPTER ASSY ADAPTER OVERHAULED BY CCAD 11 OCT 2002 TSN 1935						
16-Mar-2008	23	WUC: 05A02 PN: 114R1702-37 PSN: 2007A3640 BLADE ASSY ROT WING FWD 20080316 BLADE STATIC BALANCE COMPLETED B CO 412TH ASB BALAD, IRAQ APO AE 09391 / SMITH / SM=65384 / SCG=185.44 / W=352.58 / CM=3352 / CCG=9.506 / BLADE STATIC WT INVENTORY COMPLETED 20080316: TUBE#1 LENGTH=10.6IN / WOOD DOWEL=5.1IN / TUNGSTEN ROD=0 / TUNGSTEN WT=2 / ALUM SPACER=5 / TOTALWT=9.15OZ TUBE#2 LENGTH=10.7IN / WOOD DOWEL=.1IN / TUNGSTEN ROD=5IN / TUNGSTEN WT=4 / ALUM SPACER=3 / TOTAL WT= 2LBS 7.65OZ TUBE #3 LENGTH=7.6IN / WOOD DOWEL=0 / TUNGSTEN ROD=3.8IN / TUNGSTEN WT=4 / ALUM SPACER=0 / TOTAL WT=2LBS 0.65 OZ TUBE#4 LENGTH= 7.65IN / WOOD DOWEL=.45IN / TUNGSTEN ROD=3.45IN / TUNGSTEN WT=4 / ALUM SPACER=0 / TOTAL WT=1LB 15.25OZ. LM 7400						
28-Feb-2007	26	WUC: 05B02 PN: 114R1702-38 PSN: A2-3200 BLADE ASSY ROT WING AFT 28FEB07 BLADE STATIC BALANCED COMPLETED 2-502ND AVN REGT, APO AE 09058. CHRISTIAN HASNOEHL. SM=65377 IN LB, SCG=185.67 IN, W=352.11 LB, CM=2949 IN LB, CCG=8.375.						
16-Mar-2008	29	WUC: 05A02 PN: 114R1702-37 PSN: A-1-2384 BLADE ASSY ROT WING FWD 20080316 BLADE STATIC BALANCE COMPLETED B CO 412TH ASB BALAD, IRAQ APO AE 09391 / SMITH / SM=65376 / SCG=185.46 / W=352.51 / CM=3282 / CCG=9.311 BLADE STATIC WT INVENTORY COMPLETED 20080316: TUBE#1 LENGTH=10.6IN / WOOD SOWEL=4.9IN / TUNGSTEN ROD=0 / TUNGSTEN WT=6 / ALUM SPACE=1 / TOTAL WT=1LB 5.5 OZ TUBE #2 LENGTH=10.55IN / WOOD DOWEL=0 / TUNGSTEN ROD=5IN / TUNGSTEN WT=2 / ALUM SPACER=5 / TOTAL WT= 2LBS 2.55OZ TUBE#3 LENGTH=7.5IN / WOOD DOWEL=0 / TUNGSTEN ROD=3.85 IN / TUNGSTEN WT=1 / ALUM SPACER=3 / TOTAL WT=1LB 8.8OZ TUBE #4 LENGTH= 7.45IN / WOOD DOWEL=.8IN / TUNGSTEN ROD=3.05IN / TUNGSTEN WT=1 / ALUM SPACER=3 / TOTAL WT=1LB 4.5OZ LM7400						
16-Mar-2008	30	WUC: 05A02 PN: 114R1702-37 PSN: A-1-175E BLADE ASSY ROT WING FWD 20080316 BLADE STATIC BALANCE COMPLETED B CO 412TH ASB BALAD APO AE 09391 / SMITH / SM=65355 / SCG=183.87 / W=355.45 / CM=3390 / CCG=9.539 BLADE STATIC WT INVENTORY COMPLETED 20080317: TUBE#1 LENGTH=10.7 / WOOD DOWEL=4.8 / TUNGSTEN ROD=0 / TUNGSTEN WT=9 / ALUM SPACER=0 TUBE#2 LENGTH=10.7 / WOOD DOWEL=5.1 / TUNGSTEN ROD=0 / TUNGSTEN WT=4 / ALUM SPACER=3 TUBE #3 LENGTH=7.7 / WOOD DOWEL=4 / TUNGSTEN ROD=0 / TUNGSTEN WT=1 / ALUM SPACER=3 TUBE#4 LENGTH= 7.7 / WOOD DOWEL=4.95 / TUNGSTEN ROD=0 / TUNGSTEN WT=1 / ALUM SPACER=3 LM7400						
05-Dec-2006	32	WUC: 05B02 PN: 114R1702-38 PSN: A2-3200 BLADE ASSY ROT WING AFT 05DEC06-SERV INSP C/W REPAIRED PER HT 100882, ENG DWG 114R1702 DOC D210-11668-1 & TM 55-1520-240-23, TEETER BAL'D & TRACKED AT 412 HRS FINAL TAB SET 4" UP BOEING PHILA						
16-Mar-2008	33	WUC: 05B02 PN: 114R1702-38 PSN: A2-3200 BLADE ASSY ROT WING AFT 20080316 BLADE STATIC BALANCE COMPLETED B CO 412TH ASB BALAD, IRAQ APO AE 09391 / TEREY / SM=65383 / SCG=185.77 / W=351.96 / CM=3357 / CCG=9.537 STATIC WEIGHT INVENTORY COMPLETED 20080316: TUBE#1 LENGTH=10.65IN / WOOD DOWEL=1.4IN / TUNGSTEN ROD=3.7IN / TUNGSTEN WT=6 / ALUM SPACER=1 / TOTAL WT=2LBS 8.6OZ TUBE#2 LENGTH=10.75IN / WOOD DOWEL=0.1IN / TUNGSTEN ROD=5IN / TUNGSTEN WT=3 / ALUM SPACER=4 / TOTAL WT=2LB 5.6OZ STATIC WEIGHT INVENTORY 20080316 (CONT.) TUBE#3 LENGTH=7.5IN / WOOD DOWEL=3.75IN / TUNGSTEN ROD=0 / TUNGSTEN WT=2 / ALUM SPACER=2 / TOTAL WT=8.2OZ TUBE #4 LENGTH=7.5IN / WOOD DOWEL=1.2IN / TUNGSTEN ROD=2.55IN / TUNGSTEN WT=3 / ALUM SPACER=1 / TOTAL WT 1LB 7.95OZ						

CONDITION ITEMS

Report Date: 08-Jan-2014

5/5

1. NOMENCLATURE HELICOPTER, CARGO	2. NSN 1520010883669	3. PART NUMBER OR MODEL	4. SERIAL NUMBER 8900138		5. WUC 00			
6. NOMENCLATURE AND WUC a	PN AND NSN b	COMPONENT SER NO. LOCATION c	NO. PREV O/H d	NOMEN INST HRS e	TIME SINCE O/H g.	COMP INST HRS h	O/H OR REPLACE LIFE j	REP. DUE (ACFT HRS) k
				RMVL HRS NOMEN f		COMP RMVL HRS i		
16-Mar-2008 36	WUC: 05B02 PN: 115R1702-38 PSN: 2006A5245	BLADE ASSY ROT WING AFT						
20080316 BLADE STATIC BALANCE COMPLETED BCO 412TH ASB BALAD, IRAQ APO AE09391 / TERMEY / SM=65376 / SCG=185.23 / W=352.95 / CM=3464 / CCG=9.814 BLADE STATIC WT INVENTORY COMPLETED 20080316: TUBE #1 LENGTH=10.55 IN / WOOD DOWEL=4.9IN / TUNGSTEN ROD=0 / TUNGSTEN WT=7 / ALUM SPACER=0 / TOTAL WT=1LB 8.05OZ TUBE #2 LENGTH=10.6IN / WOOD DOWEL=0.1IN / TUNGSTEN ROD=4.8IN / TUNGSTEN WT=4 / ALUM SPACER=3 / TOTAL WT=2LBS 6.3OZ TUBE#3 LENGTH 7.55IN / WOOD DOWEL=0.3IN / TUNGSTEN ROD=3.5IN / TUNGSTEN WT=0 / ALUM SPACER=4 / TOTAL WT=1.0LB 3.05OZ TUBE#4 LENGTH=7.45IN / WOOD DOWEL 3.7IN / TUNGSTEN ROD=0 / TUNGSTEN WT=2 / ALUM SPACER=2 / TOTAL WT=8OZ								
16-Mar-2008 37	WUC: 05B02 PN: 114R1702-38 PSN: 2006A7413	BLADE ASSY ROT WING AFT						
20080316 BLADE STATIC BALANCE COMPLETED B CO 412TH ASB BALAD, IRAQ APO AE09391: /SMITH/ SM=65372 / SCG=184.91 / W=353.53 / CM=3322 / CCG=9.397. STATIC BLADE WT INVENTORY COMPLETED 20080316: TUBE#1 LENGTH=10.5IN / WOOD DOWEL=5.0IN / TUNGSTEN ROD=0 / TUNGSTEN WT=5 / ALUM SPACER=2 / TOTAL WT=1LB 2.3OZ TUBE#2 LENGTH=10.65IN / WOOD DOWEL=0 / TUNGSTEN ROD=4.95IN / TUNGSTEN WT=4 / ALUM SPACER=3 / TOTAL WT=2LB 8.8OZ TUBE#3 LENGTH=7.55IN / WOOD DOWEL=1.92IN / TUNGSTEN ROD=1.85IN / TUNGSTEN WT=2 / ALUM SPACER=2 / TOTAL WT=1LB 1.3OZ TUBE #4 LENGTH=7.55IN / WOOD DOWEL=3.82IN / TUNGSTEN ROD=0 / TUNGSTEN WT=2 / ALUM SPACER=2 / TOTAL WT=7.9OZ.								
01-May-2009 38	WUC: 05B02 PN: 114R1702-38 PSN: 2006A5245	AFT MR BLADE BALANCED, OPERATOR: RILEY, DATE:04/23/2009, SM=65357, SCG=185.11, W=353.08, CM=2934, CCG=8.311/JR295472 TASM-E MANNHIEM GERMANY						
01-May-2009 39	WUC: 05B02 PN: 114R1702-38 PSN: A-2-3200	AFT MR BLADE BALANCED, OPERATOR: RILEY, DATE:04/23/2009, SM=65383, SCG=185.64, W=352.21, CM=2948, CCG=8.370/JR295472 TASM-E MANNHIEM GERMANY						
01-May-2009 40	WUC: 05B02 PN: 114R1702-38 PSN: 2006A7413	AFT MR BLADE BALANCED, OPERATOR: RILEY, DATE:04/23/2009, SM=65360, SCG=184.70, W=353.87, CM=2957, CCG=8.357/JR295472 TASM-E MANNHIEM GERMANY						
01-May-2009 41	WUC: 05B02 PN: 114R1702-37 PSN: A-1-2384	FWD MR BLADE BALANCED, OPERATOR: RILEY, DATE:04/23/2009, SM=65369, SCG=185.24, W=352.89, CM=2956, CCG=8.377/JR295472 TASM-E MANNHIEM GERMANY						
01-May-2009 42	WUC: 05B02 PN: 114R1702-37 PSN: 2007A3640	FWD MR BLADE BALANCED, OPERATOR: RILEY, DATE:04/14/2009, SM=65383, SCG=185.29, W=352.86, CM=2940, CCG=8.333/JR295472 TASM-E MANNHIEM GERMANY						
01-May-2009 43	WUC: 05B02 PN: 114R1702-37 PSN: A-1-175E	FWD MR BLADE BALANCED, OPERATOR: RILEY, DATE:04/14/2009, SM=65371, SCG=183.77, W=355.73, CM=2958, CCG=8.315/JR295472 TASM-E MANNHIEM GERMANY						
15-Aug-2011 48	COMPLIED WITH MEC F131449 REQUIREMENTS AUTHORIZATION IS GRANTED FOR TASM-E, MANNHEIM, GERMANY TO RE-BOND WASHER, PN 114R1774-18 AFT ROTOR BLADE SN# 2006A4132@ COMPONENT HRS 883.2							